



DR-T5

330 HP

6x4 Cab Chassis




330 HP

6x4 Cab Chassis

Specifications

POWER AND TORQUE CURVES



ENGINE

- MC07.33-50 6.87L In-Line 6 cylinder, high pressure common rail diesel engine. Water cooled, 4 stroke, supercharged intercooler
- Euro 5 emissions rating with AdBlue
- Power: 248kW (330hp) @2300rpm
- Max Torque: 1,260Nm (929 ft/lb) / @1200-1800rpm

FRONT & REAR AXLE

Front

- Model VPD060QB with Disk brakes

Rear

- MCY13 with Disc Brakes
- Differential lock and cross locks on both axles
- Optional: 3.08, 3.36, 4.63 or 5.29

Tyres

- 295/80 R22.5 (Optional: 275/70 R22.5)

Wheels

- Aluminium or steel optional

TRANSMISSION


- AMT-HW15710A (Automatic Manual Transmission) Wabco Electronics
- Optional: ZF Manual
- Forward gear ratios: 14.283, 10.623, 7.869, 5.874, 4.00, 3.75, 3.265, 2.428, 1.799, 1.343, 1.0
- Reverse gear ratios: 13.91, 3.18
- With PTO

Clutch

- CH430 diaphragm model
- Hydraulically operating with air assistance

BRAKES

- WABCO Dual circuit ABS
- Working pressure 1000kPa
- Parking brake: Spring Brake



CHASSIS

- “C”-section 270x80x8
- Width of frame: Front 850mm, Rear 762mm
- Chassis Tare weight: 8,100kg
- GVM: 40,000kg
- Fuel Tank: Frame mounted aluminium 300L

Suspension

- Front: Parabolic leaf springs (3 leaf)
- Rear: Air Bags 8

	Wheel Base Option (mm)	
	Standard	Long
Front Over Hang	1,430	1,430
Wheel Base (Steer Axle to Front Rear Axle)	3,675	5,600
Wheel Base (Steer Axle to CentreRear Axle)	4,375	6,300
Rear Axles	1,400	1,400
Rear Over Hang	1,300	2,600
Overall Length	7,805	11,030
Width	2,410	2,410

Exhaust

- Chassis mounted muffler with low exhaust

STEERING

- ZF 8098 with steering ram on second axle
- Integral power steering with mechanical backup

ELECTRICAL

- 24V system CANBUS
- Halogen lights
- Interior cab dome light
- Side mounted turn signals with hazard switch
- Battery – 2x12V / 165Ah
- Electronic Power windows
- Electronic Cruise Control
- Two speed windscreen wipers with washers and intermittent wiper mode
- Heater and defroster
- Central locking
- Remote keyless entry
- Integral Air Conditioning System

CABIN

- Air suspended driver's seat
- Retractable seat belt with pre-tensioner
- European synchronization ISRI seats
- European designed cabin
- West coast mirrors 6" x 16" W/HD mountings
- Non-slip entry steps
- 90 degree opening internally reinforced doors
- Underrun protection bar
- Adjustable steering Column

Cab Tilt

- 60-Degree electro-hydraulic tilt

Notes:

Stated weights and dimensions are subject to confirmation with a +/- tolerance of 3%.

Vehicle images utilised within are for illustration purposes only. Specification noted are subject to change without notice.



Authorised Dealer:

417 Somerville Road,
West Footscray 3012.
Victoria, Australia.

Tel: +61 03 9314 1022

Fax: +61 03 9314 3283

Email: sales@diamondreotrucks.com.au

Web: www.diamondreotrucks.com.au



A member of the Daysworth International Group